

## **ENSIGN SOIL**

# Single Radius Branch 88°

### EF06R

#### **DESCRIPTION**

The single radius branch offers a single branch design for connecting an SVP stack to WC connections.

This product is designed and conforms to the design guidance of BS EN 12056-2.

#### **RECOMMENDED USE**

- Domestic Use
- Wastewater
- Rainwater
- Runoff water
- Hot effluents

#### **STANDARDS & APPROVALS**

- Industry Product standard: BS EN 877
- Range fire classification: A1

#### **IDENTIFICATION LABEL**





#### **MATERIALS & COATINGS**

- Cast Iron
- Internally and externally coated red-brown, anti-corrosive epoxy powder coating, average thickness 150  $\mu m$  internally and  $70 \mu m$  externally

#### **TECHNICAL FEATURES**

- Hot water resistance: 24hr @ 95°C
- Thermal cycle resistance: 1500 cycles between 15°C and 93°C
- Chemical resistance for 2>ph>12
- Salt spray resistance internal coating: more than 350hrs.

#### **ENVIRONMENTAL DATA**

- Percentage of recycled content: 99%
- Recycling information: Cast Iron is 100% recyclable through the existing recycling industrial network.

Data source: Environmental Product Declaration S-P-02190







# **ENSIGN SOIL**

Single Radius Branch 88° EFO6R







DN	L	н	W	A	В	WEIGHT (KG)	PRODUCT CODE
70×70	167	210	78	83	127	2.2	156539
100x50	178	204	110	90	120	2.4	156611
100×70	198	221	110	89	142	2.9	156612
150x100	284	300	160	117	202	7.6	156869
150x150	340	400	160	140	260	11.7	156926
200x150	390	428	210	157	283	13.0	156985
200×200	402	478	210	182	293	21.0	157025

This document is provided for information purposes, and our company reserves the right to modify the information contained herein at any time. Our company declines all responsibility of materials that do not comply with the rules prescribed in this document as well with the standards, the technical documents and the applicable professional standards. Any orders placed will be subject to our General Terms and Conditions of Sale, available on request. The drawings and/or images are the exclusive property of Pam Building and are confidential. They must not be reproduced or disclosed to any third party without written consent. They may only be used for the purpose for which they were issued and are returnable on request.