



BLANK END ENSIGN SOIL EF070

DESCRIPTION

The blank end is designed to be a blanking cap for pipe systems. It is commonly used as a rodding eye or an access point, which allows access into a stack system if required for inspection. The blank end is also commonly used for blanking stub stacks if an AAV is not required.


RECOMMENDED USE

- Domestic use
- Wastewater
- Rainwater
- Runoff water
- Hot effluents

STANDARDS & APPROVALS

- Industry product standard: BS EN 877
- Range fire classification: A1

IDENTIFICATION LABEL



MATERIALS & COATINGS

- Cast Iron
- Internally and externally coated red-brown, anti-corrosive epoxy powder coating, average thickness 150 µm internally and 70µm externally

TECHNICAL FEATURES



- Hot water resistance: 24hr @ 95°C
- Thermal cycle resistance: 1500 cycles between 15°C and 93°C
- Chemical resistance for 2>ph>12
- Salt spray resistance internal coating: more than 350hrs.

ENVIRONMENTAL DATA

- Percentage of recycled content: 99%
- Recycling information: Cast Iron is 100% recyclable through the existing recycling industrial network.

Data source: Environmental Product Declaration S-P-02190

BLANK END ENSIGN SOIL EF070



DN	L	H	W	WEIGHT (KG)	PRODUCT CODE
50	58	30	58	0.2	191570
70	78	35	78	0.4	191571
100	110	40	110	0.8	191572
125	135	45	135	1.1	191573
150	160	50	160	2.0	191574
200	210	60	210	3.2	191575
250	274	70	274	5.7	191576
300	326	80	326	11.0	191569
400	429	80	429	17.3	261894
500	532	80	532	24	261892

This document is provided for information purposes and our company reserves the right to modify the information contained herein at any time. Our company declines all responsibility of materials that do not comply with the rules prescribed in this document as well with the standards, the technical documents and the applicable professional standards. Any orders placed will be subject to our General Terms and Conditions of Sale, available on request. The drawings and/or images are the exclusive property of PAM Building and are confidential. They must not be reproduced or disclosed to any third party without written consent. They may only be used for the purpose for which they were issued and are returnable on request.