

ENSIGN DRAIN

Short Radius Bend 30°

ED002

DESCRIPTION

The short radius bend is designed to offer a smooth transition of direction within a pipe system.

RECOMMENDED USE

- Domestic use
- Wastewater
- Rainwater
- Runoff water
- Hot effluents

STANDARDS & APPROVALS

- Industry product standard: BS EN 877
- Range fire classification: A2, s1, d0

IDENTIFICATION LABEL



MATERIALS & COATINGS

- Cast iron
- Internally and externally coated grey, powder epoxy resin coating, min. average thickness 150µm

TECHNICAL FEATURES

- Hot water resistance: 24hr @ 95°C
- Thermal cycle resistance: 1500 cycles between 15°C and 93°C
- Chemical resistance for $1 \leq \text{pH} \leq 13$, up to 80°C
- Salt spray resistance internal coating: more than 3000h
- Salt spray resistance external coating: more than 1500h

ENVIRONMENTAL DATA



- Percentage of recycled content: 99%
- Recycling information: Cast iron is 100% recyclable through the existing recycling industrial network.

Data source: Environmental Product Declaration S-P-02191

ENSIGN DRAIN

Short Radius
Bend 30°

ED002



DN	L	H	W	A	B	WEIGHT (KG)	PRODUCT CODE
100	132	139	110	60	84	1.5	191768
150	190	189	162	80	109	3.2	191769
200	244	229	212	95	124	7.0	265382
250	285	279	274	110	141	9.7	265380
300	371	325	329	131	162	15.5	265379
400	449	467	429	187	250	34.6	266308

Accessories:

- 0.4l grey touch up paint – 216318
- Recommended couplings for connections - ED001/ED004/EC002HP
- For connection from Timesaver Drain to Ensign, please use the TD02 stepped coupling

This document is provided for information purposes, and our company reserves the right to modify the information contained herein at any time. Our company declines all responsibility of materials that do not comply with the rules prescribed in this document as well with the standards, the technical documents and the applicable professional standards. Any orders placed will be subject to our General Terms and Conditions of Sale, available on request. The drawings and/or images are the exclusive property of Pam Building and are confidential. They must not be reproduced or disclosed to any third party without written consent. They may only be used for the purpose for which they were issued and are returnable on request.