

ENSIGN SOIL Rodding Branch 88° EF009

DESCRIPTION

The rodding branch is designed to accommodate rodding access at high level. It is commonly made up of a series of fittings to achieve high level access points.

This fitting can also be hung directly without bracketing, which ultimately saves installation time of this design type of application.

RECOMMENDED USE

- Domestic use
- Wastewater
- Rainwater
- Runoff water
- Hot effluents

STANDARDS & APPROVALS

- Industry product standard: BS EN 877
- Range fire classification: A1

IDENTIFICATION LABEL





MATERIALS & COATINGS

- Cast Iron
- Internally and externally coated redbrown, anti-corrosive epoxy powder coating, average thickness 150 µm internally and 70µm externally
- Gasket: Natural Rubber BS 2494
- Bolts: M8 Stainless Steel Set Screw
- Nuts: M8 Stainless Steel Flanged Nut

TECHNICAL FEATURES

- Hot water resistance: 24hr @ 95°C
- Thermal cycle resistance: 1500 cycles between 15°C and 93°C
- Chemical resistance for 2>ph>12
- Salt spray resistance internal coating: more than 350hrs.

ENVIRONMENTAL DATA

- Percentage of recycled content: 99%
- Recycling information: Cast Iron is 100% recyclable through the existing recycling industrial network.

Data source: Environmental Product Declaration S-P-02190

pam building ENSIGN SOIL



• The Rodding Branch is sold with Blanking Cap assembled.

149

366

70

234

134

70

7.6

266135

100

455

303

This document is provided for information purposes, and our company reserves the right to modify the information contained herein at any time. Our company declines all responsibility of materials that do not comply with the rules prescribed in this document as well with the standards, the technical documents and the applicable professional standards. Any orders placed will be subject to our General Terms and Conditions of Sale, available on request. The drawings and/or images are the exclusive property of Pam Building and are confidential. They must not be reproduced or disclosed to any third party without written consent. They may only be used for the purpose for which they were issued and are returnable on request.