

ENSIGN SOIL

Taper Pipe

EF028

DESCRIPTION

The taper pipe is designed to transition from one pipe diameter to either a smaller or larger diameter. The eccentric design allows the flow to be consistent when installing the two different pipe diameters.


RECOMMENDED USE

- Domestic use
- Wastewater
- Rainwater
- Runoff water
- Hot effluents

STANDARDS & APPROVALS

- Industry product standard: BS EN 877
- Range fire classification: A1

IDENTIFICATION LABEL



MATERIALS & COATINGS

- Cast Iron
- Internally and externally coated red-brown, anti-corrosive epoxy powder coating, average thickness 150 µm internally and 70µm externally

TECHNICAL FEATURES

- Hot water resistance: 24hr @ 95°C
- Thermal cycle resistance: 1500 cycles between 15°C and 93°C
- Chemical resistance for 2>ph>12
- Salt spray resistance internal coating: more than 350hrs.

ENVIRONMENTAL DATA


- Percentage of recycled content: 99%
- Recycling information: Cast Iron is 100% recyclable through the existing recycling industrial network.

Data source: Environmental Product Declaration S-P-02190

ENSIGN SOIL

Taper Pipe

EF028



DN	L	H	W	A	WEIGHT (KG)	PRODUCT CODE
70x50	78	75	78	40	0.5	191532
100x50	110	80	110	45	0.9	191533
100x70	110	85	110	45	0.9	191534
125x50	135	85	135	50	1.2	191842
125x70	135	90	135	50	1.5	191536
125x100	135	95	135	50	1.6	191537
150x50	160	90	160	55	1.7	191538
150x70	160	100	160	55	1.8	191539
150x100	160	105	160	55	2.2	191540



DN	L	H	W	A	WEIGHT (KG)	PRODUCT CODE
150x125	160	110	160	55	2.0	191541
200x100	210	115	210	65	3.4	191542
200x125	210	115	210	65	3.5	191543
200x150	210	125	210	65	3.9	191544
250x100	274	122	274	77	5.9	191545
250x150	274	135	274	77	6.1	191546
250x200	274	145	274	77	6.1	191547
300x150	326	150	326	87.5	10.4	191529
300x200	326	160	326	87.5	11.0	191530
300x250	326	170	326	87.5	12.7	191531
400x300	429	200	429	100	20.0	157163
500x150	532	160	532	100	26.5	270326
500x400	532	200	532	100	27.9	157184

This document is provided for information purposes, and our company reserves the right to modify the information contained herein at any time. Our company declines all responsibility of materials that do not comply with the rules prescribed in this document as well with the standards, the technical documents and the applicable professional standards. Any orders placed will be subject to our General Terms and Conditions of Sale, available on request. The drawings and/or images are the exclusive property of Pam Building and are confidential. They must not be reproduced or disclosed to any third party without written consent. They may only be used for the purpose for which they were issued and are returnable on request.