

ENSIGN SOIL

Rubber Lined Steel Bracket

EF048MSL

DESCRIPTION

The rubber lined steel bracket is designed as an alternative bracketing solution to the ductile iron bracket.

It offers a single threaded connection and the rubber lining also acts as an acoustic performing bracket to reduce the dB rating within an Ensign pipe system.


RECOMMENDED USE

- Domestic use
- Wastewater
- Rainwater
- Runoff water
- Hot effluents

STANDARDS & APPROVALS

- Industry product standard: BS EN 877
- Range fire classification: A1

IDENTIFICATION LABEL



MATERIALS & COATINGS

- Mild Steel
- Bolts (M8,M10,M12) with matching nuts
- Rubber gasket lining
- M8 – M12 fixing bolt

TECHNICAL FEATURES

- Hot water resistance: 24hr @ 95°C
- Thermal cycle resistance: 1500 cycles between 15°C and 93°C
- Chemical resistance for 2>ph>12
- Salt spray resistance internal coating: more than 350hrs.

ENVIRONMENTAL DATA

- Percentage of recycled content: 99%
- Recycling information: Mild Steel is 100% recyclable through the existing recycling industrial network.



Data source: Environmental Product Declaration S-P-02190



ENSIGN SOIL

Rubber Lined Steel
Bracket

EF048MSL



DN	L	H	W	A	THREAD SIZE	WEIGHT (KG)	PRODUCT CODE
50	108	84-88	23	24	M8/M10	0.1	251197
70	135	108-113	23	34	M8/M10	0.2	251198
100	158	137-141	23	35	M8/M10	0.3	251199
150	219	193-347	25	18	M10	0.4	251201
200	292	250-256	28	19	M10	0.6	251202
250	356	316-347	30	41	M10	1.6	251203
300	410	362	32	41	M12/M16	1.8	251204

This document is provided for information purposes, and our company reserves the right to modify the information contained herein at any time. Our company declines all responsibility of materials that do not comply with the rules prescribed in this document as well with the standards, the technical documents and the applicable professional standards. Any orders placed will be subject to our General Terms and Conditions of Sale, available on request. The drawings and/or images are the exclusive property of Pam Building and are confidential. They must not be reproduced or disclosed to any third party without written consent. They may only be used for the purpose for which they were issued and are returnable on request.